ORDINANCE NO. 11-2021

AN ORDINANCE TO AMEND ARTICLE 19 OF THE ZONING ORDINANCE NO. 13-2017 OF THE CITY OF LA PORTE, INDIANA AS ENACTED AUGUST 17, 2017 AND WHICH IS A PART OF CHAPTER 82 OF THE MUNICIPAL CODE OF THE CITY OF LA PORTE, INDIANA

WHEREAS, the Common Council of the City of La Porte requests to initiate a proposal to amend The Zoning Ordinance of the City of La Porte, Indiana as enacted August 27, 2017, as part of Chapter 82 of the Municipal Code of the City of La Porte, Indiana by amending Article 19 Signs, and,

WHEREAS, the Common Council requests the City Plan Commission certify its recommendation to the Common Council on this amendment; and,

WHEREAS, that if there is a positive recommendation by the City Plan Commission the Common Council will determine that Ordinance 13-2017 should be amended.

NOW, THEREFORE, BE IT, AND IT IS HEREBY ORDAINED, by the Common Council of the City of LaPorte, Indiana, that:

SECTION I. Article 19 Signs should be amended to read as follows:

See attached.

Courtney P. Parthun, Clerk-Treasurer

SECTION II. This ordinance shall be in full force and effect upon its passage, approval by the Mayor and publication as required by law.

PASSED AND ADOPTED by the Common Council of the City of LaPorte, Indiana, this day of April , 2021.
Thomas P. Dermody, Mayor
TTEST:
Courtney P Pat
Courtney P. Parthun, Clerk-Treasurer
Country 1.1 detailed, Cloth 1100000
APPROVED by me this 5th day of April 2021.
Thomas P. Dermody, Mayor
TTEST:
Constrain p Deal

Article 19 Signs

Section 19.01 Intent

This article is intended to regulate signs and to minimize outdoor advertising in order to protect public safety, health and welfare; minimize abundance and size of signs to reduce visual clutter, motorist distraction, and loss of visibility; promote public convenience; preserve property values; and enhance the aesthetic appearance and quality of life of the community. The requirements contained herein are intended to be content neutral. The following objectives are accomplished by establishing the minimum amount of regulations necessary concerning the size, placement, construction, illumination, and other aspects of signs in the county and cities in order to:

- (a) Preserve, protect and promote public health, safety and welfare.
- (b) Protect the public right to receive messages, including religious, political, economic, social, philosophical and other types of information protected by the First Amendment of the U.S. Constitution.
- (c) Recognize that the proliferation of signs is unduly distracting to motorists and non-motorized travelers, reduces the effectiveness of signs directing and warning the public, causes confusion, reduces desired uniform traffic flow, and creates potential for crashes.
- (d) Maintain and enhance the physical appearance of the community by encouraging signs of consistent size which are compatible with and complementary to related buildings and uses, and harmonious with their surroundings.
- (e) Recognize that the principal intent of commercial signs, to meet the purpose of these requirements and serve the public interest, should be for identification of an establishment on the premises, and not for advertising special events, brand names or off-premise activities, as these can be advertised more appropriately by other methods.
- (f) Eliminate potential conflicts between business signs and traffic control signs, thereby minimizing the potential for confusion and hazardous consequences.
- (g) Enable the public to locate goods, services and facilities without undue difficulty and confusion by restricting the number and placement of signs.
- (h) Prevent placement of signs which will conceal or obscure signs of adjacent uses.
- (i) Prevent off-premise signs from conflicting with other land uses.
- (j) Protect the general public from damage and injury, that may be caused by the faulty and uncontrolled construction and use of signs within the City.
- (k) Prohibit portable commercial signs and limit temporary signs in recognition of their significant negative impact on traffic safety and aesthetics.

Section 19.02 Scope of Requirements

A sign shall not hereafter be erected, re-erected, constructed, altered or maintained without receiving the proper sign permit, except as provided by this section.

Section 19.03 Signs Not Requiring Permit

A sign of the following type shall be permitted without the issuance of a sign permit, subject to all other requirements of this Article:

- (a) Government Signs. Public signs and other signs incidental to those signs for identification, information or directional purposes erected or required by governmental bodies, or authorized for a public purpose by any law, statute or ordinance.
- (b) Railroad Crossing & Utility Signs. Railroad crossing and signs of public utility companies indicating danger or that serve as an aid to public safety or that show the location of underground facilities.
- (c) Street Address Signs. Street address signs up to four (4) square feet in area.
- (d) Decorative Signs. Decorations temporarily displayed in connection with a City-sponsored or approved event or a generally recognized or national holiday.
- (e) Residential Temporary Signs. Temporary signs at a residence commemorating a personal event, such as a birth, birthday, anniversary or graduation.
- (f) "No Trespassing" Signs. "No trespassing" or similar signs regulating the use of property, provided such signs are no more than two (2) square feet in area.
- (g) Flags. Noncommercial flags of any country, State or unit of local government. Flags provided there shall be no more than three (3) flags per lot, the maximum size of each flag shall be 50 square feet, and the flag poles comply with height limitations of Section 15.04.
- (h) Political & Noncommercial Signs. Political signs and noncommercial signs, provided that total area of all such signs together may not exceed a maximum area of twelve (12) square feet per lot. Political and noncommercial signs may not be placed in the public right-of-way.
- (i) Memorial Signs. Memorial signs and tablets, names of buildings and date of erection when cut into masonry surface or inlaid so as to be part of the building or when constructed of bronze or other noncombustible material.
- (j) "Help Wanted" Signs. "Help wanted" signs up to two (2) square feet in area. The "help wanted" sign text must be the predominant text on the sign. Help wanted signs may only be located on a window or door.
- (k) Public Notice Signs. Public notice signs are permitted on property that is the subject of a public meeting or hearing. Such signs may not exceed nine (9) square feet in area or six (6) feet in height.
- (1) Vehicle Signs. Vehicle signs are allowed when the vehicle to which the sign is attached is licensed, insured, and operational. The vehicle must be used for the operation of the business and may not remain stationary for an extended period of time for the purpose of attracting attention to a business.
- (m) Temporary Signs. Temporary signs shall be permitted provided they are setback a minimum often (10) feet from the public right-of-way or any lot line and in accordance with table 19.03/
- (n) Public Signs. Public signs, including the authorized signs of a government body or public utility, including traffic signs, legal notices, railroad crossing signs, warnings of a hazard, and similar signs.

Zoning Ordinance

Table 19.03
Temporary Sign Regulations

Type of Sign	Maximum Size	Maximum Height	Maximum Number	Permitted Duration
Community Special Event Signs	32 sq. ft.	9 ft.	1 per street frontage	Shall be installed up to 2 weeks prior to event and removed within 1 day after event
Construction Signs	4 sq. ft.	4 ft.	1 per lot	Shall be installed upon commencement of the related work and removed at the completion of the related work.
Garage Sale Signs	4 sq. ft.	4 ft.	1 per lot	Shall be erected no more than 7 business days before and removed within 1 business day after the sale
Grand Opening Sign, Special Sale & Promotional Signs and Banners	16 sq. ft.	Ground sign 6 ft. Wall sign not higher than building	1 per lot	May be erected for a maximum of 20 consecutive days every 6 months
Political Signs	16 sq. ft.			The owner of the property or the person in charge thereof shall be responsible for the removal of the signs
Real Estate: Sale or Lease of Individual Business or Lot	12 sq. ft	6 ft.	1 per lot, 2 on corner lot (1 facing each street)	Shall be removed within 15 days of sale closing, or the lease or rental of the premises

- (o) Traffic Control Signs. Signs directing and guiding traffic and parking on private property, but bearing no advertising, including logos. Driveway entry/exit signs shall only be allowed as an exempt sign under this section where there are one-way drives or restricted turning movements that require signage to direct motorists; directional signage at full-movement driveways shall be regulated as a freestanding sign under section 19.04.
- (p) Warning signs. "No Trespassing" and other types of warning signs are allowed in all areas; not to exceed one and a half (1½) square feet per sign.
- (q) Window Signs. Window signs shall be permitted in all non-residential districts, up to 25% of the glass surface provided:
 - (1) The area of permanent window signs shall be counted in determining compliance with requirements for total area of wall signs.
 - (2) Window signs that are faded, yellowed, ripped, or otherwise damaged shall be removed immediately.

Section 19.04 Permitted Signs

(a) The following signs require a permit under section 19.07. The number, display area, and height of signs within the non-residential zoning districts are provided in Table 19.04 and its accompanying set of additional requirements.

Table 19.04
Specific Sign Requirements

Type of Sign	Max. Height	Max. Size (1)	Max. Number	Additional Requirements
Agricultural	12 ft.	32 sq. ft. per face	1 per farm	
Canopy	Must not exceed height of building	25% of canopy up to a maximum of 50 sq. ft.	1 per street frontage	(2)
Billboard	30 ft.	The second secon		(3)
Business Center	9 ft.	72 sq. ft. per face	1 per street frontage	(4)
Development and Subdivision Entry	4 ft.	20 sq. ft. per face	1 per entrance	(5)
Gasoline Price	9 ft.	12 sq. ft. per face	1 per street frontage	(6)
Home Occupation		3 sq. ft.	4.6	**
Awning	Must not exceed height of building	Counted as part of allowed wall signage	1 per façade facing a street or public right-of-way	(7)
Blade	Must not exceed Height of building	Counted as part of allowed wall signage	1 per façade facing a street or public right-of-way	(8)
Menu Boards (incl. A-frame; Sandwich Boards)	5 ft.	16 sq. ft. per side	1 per entrance	
Monument or Ground	6 ft.	72 sq. ft. per side	1 per street frontage	(9)
Multiple family development signs	4 ft. unless on wall	12 sq. ft.		
Parking lot	9 ft.	12 sq. ft. per side	1 per parking lot	
Real Estate: Development Signs	9 ft.	72 sq. ft.	1 per development	(10)
Wall	Must not exceed height of building	10% of wall up to a maximum of 100 sq. ft.	1 per façade facing a street or public right-of-way	(11)
Murals	z.	**	4.5	(12)

- (b) Signs noted in Table 19.04 shall comply with the following requirements:
 - (1) The BZA may permit a fifteen 15% increase in the allowable sign area where the site has shared access with an adjoining site in accordance with Section 18.05.
 - (2) Canopy. Signs on canopies may be allowed, provided the display area of the sign on a canopy shall be counted toward determining compliance with the requirements for total allowable area of wall signs allowed on the lot.
 - (3) Billboard. Billboards shall only be permitted where in compliance with all of the following requirements:
 - a. **Districts Allowed.** For sites located within the boundary of the city of La Porte, new billboards shall not be permitted.

Page 19-4 Zoning Ordinance

- b. Location. Billboards shall be constructed so that its principal view is fully screened from an interchange area involving merging traffic. Any billboard shall comply with the following:
 - The billboard must be constructed in such a manner as to be viewed principally from the freeway(s) and not from auxiliary roadways, side road, traffic intersections, or residential areas.
 - The premises must have a roadway easement to a non-freeway primary or secondary road such that the persons maintaining and servicing the sign may reach the site without danger.
- c. Size and Configuration. A billboard shall be constructed according to applicable building requirements, codes, and zoning regulations, including the following:
 - 1. The maximum height shall be 30 feet above the median ground level within a 500 feet radius of the site.
 - 2. The maximum sign surface area shall be 384 square feet.
 - 3. Billboards shall be back to back or a "v" design; for a "v" design maximum separation between sign ends shall be 20 feet.
 - 4. Side-by-side or deck/stacked structures shall not be permitted.
 - Billboards shall be prohibited from:
 - a. Extending above the tree line or horizon when viewed from any portion of the roadway that it faces.
 - b. Being located on or over the roofs of buildings.
 - c. Projecting over any public easement or right-of-way.
- d. Spacing and Separation. A billboard shall maintain all of the following spacing and setback requirements:
 - 1. Along all other highways a minimum spacing of 1,320 feet, measured along the road in all directions, from any other billboard, including billboards in an adjacent municipality.
 - 2. At least 500 feet from any residential zoning district, historic district or outdoor park/recreational facility.
 - 3. At least 300 feet from any park, school, church, hospital, cemetery, or government building.
 - 4. The application shall include a certified site plan showing compliance with the spacing and separation distances required by this subsection.
- e. Setbacks. Billboards shall comply with all setback requirements for a structure in the district in which they are located.
- f. Limitations on Movement. A billboard shall be prohibited from having moving, flashing, oscillating or other distracting parts visible to drivers or vehicles. Rotating signs shall not be permitted.
- g. Illumination, A billboard may be illuminated subject to all of the following requirements:

Zoning Ordinance

- 1. Illumination must be directed in such a manner that all incidental light generated falls on the sign face.
- 2. All lights must be shielded such that the light is not visible to traffic or surrounding homes or businesses.
- 3. The use of animated electrical signage shall be prohibited.
- 4. Billboards within 500 feet of any residential district may not be illuminated between the hours of 10:00 p.m. and 6:00 a.m.
- h. Non-use. Any billboard not in use for more than one year (12 months) shall be removed by the owner and at the owner's expense.
- i. Maintenance and Unsafe Conditions. Any billboard that collapses, topples or disintegrates shall be removed by the owner at the owners expense within 30 days of the occurrence.
- j. State Compliance Required. All billboards shall comply with applicable requirements and conditions the State of Indiana. A billboard permit shall be first obtained from the Indiana Department of Transportation prior to approval.
- k. Identification Plate. The framework, foundations or superstructure of the billboard shall have a metal identification plate, as defined, firmly attached thereto.
- (4) Business Centers. Each business center with at least 300 feet of major road frontage may be allowed one (1) on-premises freestanding business center sign, subject to the following:
 - a. May be directly or indirectly illuminated.
 - b. May be double-faced.
 - c. Shall not reduce the number of signs or sign area otherwise allowed for the premises included within the business center, but shall prohibit any other freestanding signs from being located within the business center.
- (5) Community, Neighborhood, Development or Subdivision Entry Signs
 - a. Freestanding signs of low-profile design.
 - b. May be directly or indirectly illuminated.
- (6) Gasoline Service Stations. Each gasoline service station may be allowed the following signs in addition to the signs otherwise allowed by this Article:
 - a. Gasoline pump signs not exceeding three (3) square feet per pump containing customary information regarding the brand, type of gasoline sold, and service provided.
 - b. Signage on the canopy, which shall be counted toward determining compliance with the requirements for total allowable area of wall signs allowed on the parcel.
 - c. May contain up to two (2) pump island signs located on the structural supports identifying "self-serve" and "full-serve" operations, provided that there is no business identification or advertising copy on such signs and that such signs do not exceed four (4) square feet in area.
- (7) Awnings. Signs on awnings are permitted, provided the display area of the sign on an awning shall be counted toward determining compliance with the requirements for total allowable area of wall signs allowed on the lot. Awnings may project over the public sidewalk, provided they are a minimum of eight (8) feet above the sidewalk.
- (8) Blade signs. Blade signs shall be affixed perpendicular to the building façade and may project over the public sidewalk, provided they have a minimum of eight (8) feet of clearance from the

Page 19-6 Zoning Ordinance

sidewalk to the bottom of the sign. Blade signs may project a maximum of 4' from the building façade, including support brackets. Blade signs shall not have a depth greater than 6". Horizontal blade signs shall be no greater than fifteen (15) square feet in size. Vertical blade signs shall be no greater than twenty-four (24) square feet in size.

- (9) Monument or Ground Signs. Monument signs shall have a base that matches the architecture and aesthetics of the property and landscaping around the base of the sign.
- (10) Real Estate Development Signs. Permits for real estate development signs shall be issued for one (1) year and may be renewed on an annual basis.

(11) Wall Signs

- a. Sign shall not extend more than 18 inches perpendicular to the surface of the building wall area upon which it is painted, erected, or fastened. Wall signs may extend over a public sidewalk, provided they have a minimum 10-foot clearance from the sidewalk to the bottom of the sign.
- b. For businesses that face directly onto adjacent public street right-of-way, the maximum allowable wall sign area may be increased as indicated in the table below or10% of the wall area, whichever is less.

Distance of Sign From	Allowable Sign Area	
ROW Line		
0 - 200 ft.	100 sq. ft.	
200 - 300 ft.	125 sq. ft.	
301 + ft.	150 sq. ft.	

- c. Wall signs may be directly or indirectly illuminated.
- (12) Murals. Shall only be permitted where in compliance with all of the following requirements:
 - a. Submission of mural application in addition to the sign permit outline in section 19.07.
 - b. Review and approval of the submitted mural application by the Office of Community Development and Planning and the Visual Arts Council or designee.

Section 19.05 Prohibited Signs

The following devices and locations are specifically prohibited:


- (a) Unspecified Signs. Any signs not expressly permitted are prohibited.
- (b) Banners. Pennants, balloons, spinners, streamers and all banners, other than those listed in 19.03(m), bearing any logo, product name, business name or other advertising or promotion are prohibited.
- (c) Commercial Vehicles used as Signs. Unlicensed or inoperable stationary or abandoned motor vehicles, trailers or watercraft parked on public or private property used specifically for signage and not for the intended use of the vehicle are prohibited. No commercial vehicle may be parked on a business or industrial premise for a time period exceeding 48 hours for the intended purpose of advertising a product or serving as a business sign.
- (d) **Double Signs.** Double-wide sign structures, that is, a single sign structure on which two or more billboards, or other type of signs, are placed or located side-by-side and facing the same direction are prohibited. A double stack, or deck sign structure, that is, a structure on which two signs are placed on one pole or structure, such that one sign is above the other and facing the same direction.
- (e) Emergency Vehicles Simulation Signs. Signs that simulate or could in any way be confused with the lighting of emergency vehicles or traffic signals are prohibited.
- (f) Exterior String Lights. String lights used in connection with a commercial enterprise are prohibited, other than holiday decorations which are strung no more than 60 days before the holiday and removed within 10 days following the holiday for which they were erected.

- (g) High Intensity/Flashing Light Signs. Signs that blink, flash, are animated by lighting in any fashion or have the appearance of traffic safety signs, or lights, or municipal vehicle warnings from a distance are prohibited.
- (h) Illuminated Signs Adjacent to Residential. Illuminated signs within 50 feet of a residential district are prohibited unless it is designed to not reflect or shine light onto the residential district.
- (i) Moving Signs. Rotating signs or signs having moving members or parts, or appearance of movement are prohibited.
- (j) Snipe Signs. Signs attached to any utility pole, light standard, street tree or any other public facility located within the public right-of-way are prohibited.
- (k) Obsolete Signs. Signs that advertise a product that is no longer made, an event that has already occurred or a business that has closed within the previous 60 days are prohibited. The enforcement official shall provide a letter to the property owner giving a set time for removal of the obsolete sign.
- (1) Off-Premise Signs. Signs, except for billboards, which identify a use or advertises products and services not available on the premises on which the sign is located (e.g. garage sale signs, residential open house signs, signs providing directions to a business) are prohibited.
- (m) Portable Signs. Portable signs are prohibited except where expressly allowed in this article.
- (n) Roof Signs. Signs erected above the roof line of a building are prohibited.
- (o) Signs that Confuse Traffic. Signs that make use of the words "Stop", "Look", "Go", "Slow", "Caution", or "Danger", or any other words, phrases, symbols, or characters, in such a manner as to interfere with, mislead, or confuse traffic are prohibited.
- (p) Signs that Obstruct Access. Signs that prevent free and unobstructed access to any door, window, fire escape, or other required exit are prohibited.
- (q) Signs that Obstruct Vision. Signs located in such a manner as to obstruct or otherwise interfere with an official traffic sign, signal or device or obstruct or interfere with a driver's view of approaching, merging or intersecting traffic are prohibited.
- (r) Signs Located in Public Right-of-way. Signs located in, encroaching upon or overhanging public rights-of-way are prohibited, except awning, blade and canopy signs overhanging the sidewalk, as permitted in section 19.04.
- (s) Structurally Unsafe Signs. Signs which are deemed structurally unsafe or are constructed in violation of the requirements of any adopted Construction Code are prohibited.
- (t) Objects Attached to Public Signs or Utility Structures. For sale signs or other similar signs and objects shall not be attached to street signs, way-finding signs or utility poles in the public right-of-way.
- (u) Painted Signs. Signs painted directly on a wall, roof, fence, or other building structure are prohibited.
- (v) Pole Signs. Single pole signs with a base less than two (2) feet in width shall be prohibited. Additionally, pole signs located in the CBD1 and CBD2 districts shall also be prohibited.

Section 19.06 General Provisions for Permitted Signs

Signs which are permitted as accessory uses serving a commercial or informational purpose may be permitted subject to the requirements of this section.

(a) Determination of Sign Display Area. No sign shall exceed the maximum sign display area allowed for a district. The sign display area is to be expressed in



- square feet, computed to the nearest tenth of a square foot, and shall be computed as follows:
- (1) Single-Faced Sign. The allowable area for a single-faced sign shall be measured by calculating the square footage of the sign face by enclosing the most protruding points or edges of a sign within a parallelogram or rectangle, including any frame.
- (2) Wall Signs. Where a sign consists of individual letters and/or a logo affixed directly to a building, the area of the sign shall be computed by measuring the area of the envelope required to enclose the lettering and logo.
- (3) Double-Face Signs. Where a sign has two (2) or more faces, the area of only the larger face shall be considered when calculating maximum size, provided all faces are part of the same structure, back-to-back and are separated by no more than two (2) feet.
- (b) Setbacks. All freestanding signs, unless otherwise provided for, shall be set back a minimum of ten (10) feet from any public road right-of-way. This distance shall be measured from the nearest edge of the sign, measured at a vertical line perpendicular to the ground to the right-of-way.

(c) Design Requirements

- (1) Architectural Features. All signs shall be placed in a manner that does not obstruct or intrude upon architectural features of a building.
- (2) Materials. Sign materials shall be designed to complement the original construction materials and architectural style of the building façade to promote an overall unified and aesthetic effect as permitted in the various zoning districts. Signs shall not be constructed from materials that are remnants or manufactured for a different purpose.

(d) Illumination

- (1) General Requirements. Signs may be illuminated only by steady, stationary, shielded light sources using approved electrical devices directed solely at the sign, or internal to it. Signage lighting shall be subject to the lighting intensity limits specified in section 17.05.
- (2) Non-glare, Shielded Lighting. Use of glaring undiffused lights or bulbs shall be prohibited. Lights shall be shaded and/or shielded downward so as not to project onto adjoining properties or thoroughfares.
- (3) Traffic Hazards. Sign illumination that could distract motorists or otherwise create a traffic hazard shall be prohibited. The characters incorporated into any changeable message shall remain constant and not change in hue or intensity during the automatic changing of the sign's copy area.
- (4) Illumination by Other Sources. Illumination by bare bulbs, luminous tubing or flames is prohibited, except that bare bulbs are permitted on theater marquees.
- (5) Electronic Changeable Message Sign. Electronic changeable message signs illuminated by Light-Emitting Diode (LED) or other similar method shall be permitted, subject to the following requirements:
 - (a) Electronic changeable message signs are not permitted within residential zoning districts or National Register Historic Districts and parcels adjacent thereto.
 - (b) Only one (1) electronic changeable message sign shall be permitted per business.

- (c) Electronic changeable message signs that are greater than 12 square feet in area shall not be located with 600 feet any other electronic changeable message sign greater than 12 square feet in area.
- (d) Electronic changeable message signs shall not exceed the following illuminative brightness:

Time of Day	Brigi	htness
·	Within 500 feet of residential district or use	At least 500 feet from residential district or use
Night time	500 nits (cd/m2)	1250 nits (cd/m2)
Day time	3,500 nits (cd/m2)	5,000 nits (cd/m2)

- (e) The message on an electronic changeable message sign shall remain static a minimum of twenty (20) seconds and shall not take longer than one (1) second to change. If the sign is within 500 feet of a residential use or zoning district, the message shall remain static from dusk until dawn.
- (f) Electronic changeable message signs shall not contain any moving, blinking, flashing, scrolling or animated parts nor have the appearance of having any movement or animation. Only static messages shall be displayed. The lettering and/or message components being displayed at any given time shall not change, flash or fade to another color. The changeable message sign shall have a default design that will freeze the sign in a dark or blank position if a malfunction occurs.
- (g) Conversion of an existing sign to a changeable message signs shall require a permit under this article. Electronic changeable message signs may not be added to a nonconforming sign.
- (6) Wiring. Underground wiring shall be required for all illuminated signs not attached to a building.
- (e) Construction Requirements. The following construction requirements apply to all permanent signs.
 - (1) Fastenings. All signs must be erected in such a manner and with such materials to remain safe and secure during the period of use and all bolts, cables, and other parts of such signs shall be kept painted and free from corrosion. No sign may be placed upon a tree or utility pole, except signs of a unit of government or utility.
 - (2) Support Location. No pole, cable or support of any nature shall be placed on any publicly owned property, road right-of-way, or proposed road right-of-way.

(3) Sign Safety

- a. All signs erected, constructed, reconstructed, altered or moved shall be constructed in such a manner and of such materials so that they shall be able to withstand wind pressure of at least 20 pounds per square foot.
- b. All signs shall be erected so that any part including cables, guys, etc. shall have a minimum clearance of four (4) feet from any electrical conductor, electric light pole, road lamp, traffic light, or other public utility pole or standard.
- c. All signs shall be designed to comply with minimum wind pressure and other requirements set forth in the adopted building code. Signs with electrical connections shall comply with electrical code requirements, including the application, inspection, and approval of an electrical permit.
- (4) Safety Triangle. No sign shall be located within, project into, or overhang the triangular area formed at the intersection of any two road right-of-way lines or a driveway approach, as required by section 15.06.

Section 19.07 Sign permits

- (a) A sign permit shall be required prior to installing, changing the height, increasing the area or structurally altering any sign for which a permit is required. Before such a permit is issued, an inspection shall be made to determine that the sign location complies with the provisions of this article.
- (b) As a condition to approval of a sign permit, all signs to be located along state road right-of-way shall obtain the proper state sign permit or written non-objection from the Indiana Department of Transportation, and a copy shall be provided to the enforcement official.
- (c) For an off-premise sign, written consent of the property's owner or legal representative shall be submitted with the application for a sign permit.
- (d) The sign permit shall be valid for a period of 90 days. The sign must be installed within that time period or the permit shall expire, provided the enforcement official may grant an extension for an additional 90 days. When a sign permit is issued in connection with an improvement location permit for a structure on the site, the sign permit shall run concurrent with the improvement location permit.
- (e) No permit shall be required for ordinary servicing or repainting of an existing sign message, cleaning of a sign, or changing the message on the sign where the sign is designed for such changes (such as lettering on a marquee or numbers on a gasoline price sign). Furthermore, a permit shall not be required for signs which are stated as being allowable without a permit.

Section 19.08 Application Procedure

- (a) Application Form. Application for a permit for a sign shall be filed with the enforcement official and shall provide the following information:
 - (1) Name, address, and telephone number of the applicant.
 - (2) Location of the building, structure, or lot on which the sign is to be attached or erected.
 - (3) Position of the sign in relation to buildings, structures, and property lines within 100 feet of the proposed sign.
 - (4) Plans showing the dimensions, materials, method of construction, and attachment to the building or in the ground.
 - (5) Copies of stress sheets and calculations, if deemed necessary, showing the structure as designed for dead load and wind pressure.
 - (6) Name and address of the person, firm, or corporation owning, erecting, and maintaining the sign.
 - (7) Information concerning required electrical connections.
 - (8) Written consent of the owner or lessee of the premises upon which the sign is to be erected.
 - (9) Other information required by the enforcement official to make the determination that the sign is in compliance with all applicable laws and regulations.

(b) Application Review

(1) Location Improvement Permit Review. All locations for placement of a sign submitted in conjunction with the proposed construction of a new building or addition to an existing building shall be reviewed as a part of the required location improvement permit review. The location, size and height of all existing and proposed signs must be shown on the site plan.

- (2) Enforcement official Review. The enforcement official shall review the sign permit application for any sign proposed on a site or existing building where no other new construction is proposed.
- (3) Issuance of a Permit. Following review and approval of a sign application, the enforcement official shall have the authority to issue a sign permit upon payment by the applicant of the required fees.
- (4) Denial of a Permit. The enforcement official shall deny the application for any sign that does not comply with the requirements of this article.

Section 19.09 Sign Inspection and Maintenance

(a) Sign Inspection

- (1) Responsibility for Compliance. The owner of any property on which a sign is located is declared to be responsible for the permit, erection, inspection, safety, condition, and removal of a sign.
- (2) Inspection of New Signs. All signs for which a permit has been issued shall be inspected by the enforcement official when erected. Approval shall be granted only if the sign has been constructed in compliance with the approved plans and applicable requirements of other ordinances and codes.
- (3) Inspection before Enclosure. In cases where fastenings or anchorages are to be eventually bricked in or otherwise enclosed, the sign erector shall advise the enforcement official when such fastenings are to be installed so that inspection may be completed before enclosure.
- (4) Inspection of Existing Signs. The enforcement official may, at such times as deemed necessary, inspect any sign allowed under this section, and if upon inspection a sign is found to be unsafe or in a condition that does not comply with all the provisions of this section, the enforcement official shall give notice of that condition to the owner of the sign and cause the necessary repairs or alterations to be made, or require removal of the sign.

(b) Sign Maintenance

- (1) Maintenance of Signs. All signs for which a permit is required, and all supports therefore shall:
 - Be kept in compliance with the plans and specifications filed and approved for issuance of the construction permit.
 - Be kept and maintained in a safe condition, consistent with adopted building and mechanical codes.
 - At all times conform to all the provisions of this article.
- (2) Correction of Defects. If the enforcement official finds that any sign is unsafe, insecure, improperly constructed, or poorly maintained, the owner of the sign shall make the sign safe and secure by completing any necessary reconstruction or repairs, or entirely remove the sign in accordance with the timetable established by the enforcement official. Existing signs determined to be unsafe and an immediate hazard to health or safety shall be removed or repaired within 12 hours of notification.

(c) Obsolete Signs.

(1) Signs which are no longer functional, in disrepair, or are abandoned for more than 60 days, shall be removed, at the expense of the property owner on which the sign is located, within 30 days following notice of non-compliance. The owner shall be notified by certified mail. (2) A sign which no longer identifies a use, product, business or entity located on the property, but is otherwise in conformity with the other provisions of this ordinance, may remain in place if the sign face is completely covered or obscured by a blank panel attached within the frame of the sign. In such case, the sign shall be permitted to remain for a period not to exceed 120 days. Following expiration of the 120 days, the sign shall be removed, unless identifying a new use, product, business or entity located on the property.

(d) Legal Nonconforming Signs

- (1) Status. Any sign lawfully existing at the time of the adoption of this article that does not fully comply with all provisions of this ordinance shall be considered a legal nonconforming sign and may be permitted to remain as long as the sign is properly maintained and not detrimental to the health, safety and welfare of the community, except as herein provided.
- (2) Continuance. The nonconforming sign may continue as long as it is not destroyed, abandoned, or discontinued under 19.09(c) above. A sign damaged in excess of 60% of its replacement cost is considered destroyed and shall be removed by the property owner. If the sign is not removed, the county or city may remove the sign.
- (3) Restrictions. A nonconforming sign shall not be altered or reconstructed, unless the alteration or reconstruction is in compliance with the provisions of this article. For the purpose of this article only, the terms "altered" or "reconstructed" shall not include any of the following:
 - a. Normal maintenance.
 - b. Changing of surface sign space to a lesser or equal area.
 - c. Ornamental molding, frames, trellises, or ornamental features or landscaping below the base line.
 - d. The addition, construction, installation, or changing of electrical wiring or electrical devices.
 - e. Changing backgrounds, letters, figures, or characters, or other embellishments.
- (4) Repairs and Maintenance. Normal maintenance shall be allowed, provided that any nonconforming sign that is destroyed by any means to an extent greater than 60% of the sign's replacement value, exclusive of the foundation, shall not be reconstructed. Normal maintenance shall include painting of chipped or faded signs; replacement of faded or damaged surface panels; or repair or replacement of electrical wiring or electrical devices.
- (5) Nonconforming Changeable Copy Signs. The message on a nonconforming changeable copy sign or nonconforming bulletin board sign may be changed provided that the change does not create any greater nonconformity. Conversion of a nonconforming sign to an electronic changeable message sign shall not be permitted.
- (6) Substitution. A nonconforming sign may not be replaced with another nonconforming sign. Any subsequent sign must comply with all provisions of this ordinance.

Section 19.10 Fees

Any application for a sign permit or other request for action pursuant to the regulations set forth in this Article shall be subject to and accompanied by a fee as established by the legislative body. Such fees shall be collected in advance of any application review, inspection, or issuance of any permit or approval. Upon notification of deficient payment of fees, the enforcement official shall cause any permits to be suspended and reject applications for new permits directly associated with the request.

(This page intentionally left blank)

Page 19-14 Zoning Ordinance



CITY OF LA PORTE, INDIANA MURAL APPLICATION

Applicant Contact Information
Name:
Street Address:
Address Line 2:
City:
State:
Postal / Zip Code:
Phone Number:
Email:
Date of Application Submission:
Location Information
Business Name:
Street Address:
Address Line 2:
City:
State:
Postal / Zip Code:
Phone Number:
Email:

Street Address:	
Address Line 2:	
City:	
State:	
Postal / Zip Code:	
Phone Number:	
Email:	
Mural Artist / Group / Contracted Organization Contact Information	
Name:	
Street Address:	
Address Line 2:	
City:	
State:	
Postal / Zip Code:	
Phone Number:	
Email:	
Mural Design Proposal & Materials	
 Describe the concept, composition, and purpose of the proposed m 	ural:

2. Describe the mural's relevance to its location and the community that will be

impacted by it:

Building Owner Name: _____

3.	From what intersections/viewpoints can pedestrians and vehicle's see the mural?
4.	What is the composition and condition of the wall the mural is to be placed on and how will you prepare the wall appropriately?
5.	What are the mural's dimensions?
	Feasibility Describe the artist's past experience creating murals:
	Describe the artist's past experience creating murals.
2.	Describe your funding strategy and provide the budget for the mural project:

Communi	ity S	uppo	ort
---------	-------	------	-----

1.	Describe the public outreach that has been done to date (e.g. meetings with
	the neighborhood association, business community, surrounding
	neighborhoods etc.):

2. Is there a sponsoring organization for this mural project? If so, please provide their contact information:

Name:	_
Street Address:	
Address Line 2:	
City:	
State:	_
Postal / Zip Code:	_
Phone Number:	_
Email:	_

Mural Long-Term Maintenance

1. Who is responsible for maintaining the underlying building materials?

2. If the mural is damaged during needed building maintenance, what are the expectations and responsibilities regarding repainting/restoring/painting over the mural and the funding for that work?

3. Who and what factors would allow for the mural to be painted over in the future? Include a sign off from the artist acknowledging such rights.

Addi	tional I	Documents to Submit with Application:		
	Agree	ement with mural artist to complete work and acknowledges the		
	condi	tions that would allow for the mural to be painted over.		
	Agreement with the building owner that specifically covers:			
		Permission for the work to be installed.		
		Insurance and liability coverage for initial installation and for future		
		repainting or maintenance.		
		Who is responsible for funding and completion of on-going		
		maintenance and future repainting of the mural.		
		Who is responsible for repair of the building if deterioration occurs		
		associated with the mural being placed on the building.		
	Mura	Project Budget		